

### STONKAM® DVR System Settings for McNeilus Mixers

**Date:** October 7, 2022

**Bulletin Name:** MXR-TSIB-036-A

**Model:** Bridgemaster (93) and Standard Mixer (90)

**Units Affected:** Those with STONKAM® DVR System

### Purpose:

McNeilus Truck and Manufacturing offers these instructions for changing the Record DVR settings on STONKAM® DVR system installed on some McNeilus Rear Discharge Mixers.

### Notice:

- This bulletin should be read and understood in its entirety before performing this procedure.
- All procedures outlined in the bulletin must be performed by skilled service personnel. Refer to the product service manual for descriptions of maintenance procedures.

### SAFETY NOTICE

Perform your company's Lockout/Tagout procedure. If your company does not have a Lockout/Tagout procedure, follow OSHA 1910.147 and 1910.146 Confined Space as appropriate.

### SAFETY NOTICE

Use appropriate Personal Protective Equipment (PPE) as required by your company.

### Procedure:

1. Perform your company's Lockout/Tagout procedure. If your company does not have a Lockout/Tagout procedure, follow OSHA 1910.147 and 1910.146 Confined Space as appropriate. Chock wheels and engage the service brake.
2. Click on the bottom of the DVR screen.
  - The options menu will display on the bottom of the screen.
3. Select the Settings icon (gear symbol) (Figure 1).



Figure 1

- Click on "Record" and you will be able to view the options as shown below (Figure 2, Item 1).
- Change the settings to enable/turn on the "Power On Rec" (Figure 2, Item 2) and "Cyclic Rec." (Figure 2, Item 3) by touching the on/off toggle option to ON on the screen.



Figure 2

Figure 2 shows a DVR that is programmed according to basic standards. Once the options are selected, click OK.

### **Formatting the Memory Storage**

- Click anywhere on the bottom of the DVR screen.  
The options menu will display on the bottom of the screen.
- Select the settings icon (Gear symbol) (Figure 3).



Figure 3

3. Click on the “Storage” option on the screen (Figure 4).



Figure 4

4. Click on the “Format” button at the top of the screen (Figure 5).

5. Click on “OK” button after the formatting operation is complete (Figure 5).



Figure 5



(888) 686-7278

www.streetsmartparts.com